

Product Information

Nutrivant[®]

Tomato 6-18-37+2MgO+ME

Long-lasting technology for improved foliar nutrition

ICL's Nutrivant product range consists of fully soluble formulations that contain macro and micronutrients to precisely meet the crop's needs. The Nutrivant formulations are designed for foliar application and contain our exclusive additive, Fertivant.

Fertivant's advanced and persistent delivery system, specially developed for foliar application, works in three ways:

- it guarantees the spray application delivers a homogeneous distribution of microdrops spread across the surface of the leaves,
- it enhances the permeability of the cuticle to active substances, and
- it securely fixes the active ingredients to the surface of the leaves, delaying evaporation.

Product advantages

- Dependability
- Chloride-free, high safety
- Enriched with microelements
- Fully soluble
- Contains surfactant
- Special analyses: High PK formula
- Made with clean materials
- Contain magnesium and boron
- ICL's tight control of ingredients and manufacturing ensures consistent high quality.

Specific usage

We recommend Nutrivant Tomato 6-18-37+2MgO+ME is sprayed at the developing and ripening stages to increase fruit size and sugar content.

Application rates

Spray 1.0%-2% at 500-1,000 L/ha in the early morning or in the afternoon.



Product characteristics

Maximum solubility:
42 kg/100 L water (25°C)
EC value: 1.01 mS/cm (at 1 g/L)
pH (1%): 4.4
Packaging: 25 kg bag (PE)
Item code: 6106183702

Guaranteed analysis

Total nitrogen (N)	6%
Nitrate nitrogen (NO ₃ -N)	6%
Phosphorus (P ₂ O ₅)	18%
Potassium (K ₂ O)	37%
Magnesium (MgO)	2%
Sulfur trioxide (SO ₃)	8.5%
Iron (Fe)*	0.08%
Copper (Cu)*	0.005%
Manganese (Mn)*	0.04%
Molybdenum (Mo)	0.005%
Zinc (Zn)*	0.02%
Boron (B)	0.02%

*Chelated by EDTA



www.icl-growingsolutions.com

Attention: As circumstances can differ and as application of products is beyond our control, ICL cannot be held responsible for any negative results. With this publication, all previous given recommendations expire. Before a new rate, product or application method is used, a small scale trial is recommended.