7.5 Gram Tablets

Osmocote[®] Plus

G90336

Recommended Rates

Longevity at average media temperature

60°F (15°C)	70°F (21°C)	80°F (26°C)	90°F (32°C)
9-10 months	8-9 months	6-7 months	5-6 months

Nursery / greenhouse application¹

Common container volumes	Tablets per container
1 quart pot	1
5" pot	1
6" pot	1
8" hanging basket	2-3
10" hanging basket	3-4
12" hanging basket	6
1 gallon container	2-3
3 gallon container	5-11
5 gallon container	8-16

Established plantings

Trees: use 1 tablet for every inch of trunk diameter. Shrubs: use 1 tablet for every 8 inches of height or spread.

Guaranteed Analysis

3%
,,,
1%
1%
1%
2%
5%
5%
1%
1 1 2 5

Derived from: Polymer-coated Ammonium Nitrate, Ammonium Phosphate, Potassium Sulfate, Calcium Phosphate, Magnesium Sulfate, Sodium Borate, Iron Phosphate, Iron EDTA, Manganese Sulfate, Manganese Phosphate, Sodium Molybdate

¹Reduce rates by half for salt sensitive plants or low-light conditions.

Directions

- place tablets in soil media during potting or planting, equally spaced in the root zone or planting hole
- for filled containers, push tablets completely into the soil
- for hanging baskets, make a hole using a probe and push the tablets into the soil, forming a circle around the plant
- when using drip irrigation, push tablets into the soil under the emitter
- when using overhead irrigation, push the tablet halfway into the pot or container
- for outdoor containers, place tablets on the shade side of container
- for new landscape plantings, push tablets 3 to 4 inches into the soil, 1 to 2 inches away from the root ball
- for established plants, probe or dig holes (not exceeding 6 inches deep) into the root zone, drop tablets into holes and cover

All information is intended for use as a guideline only and may not be suitable for all regions and conditions.



²The nitrogen, phosphate, potash, magnesium, sulfur, boron, iron, manganese, and molybdenum sources have been coated to provide 12.75% coated slow-release nitrogen (N), 6.8% coated slow-release available phosphate (P2O5), 9.35% coated slow-release soluble potash (K2O), 0.9% coated slow-release magnesium (Mg), 2% coated slow-release sulfur (S), 0.015% coated slow-release boron (B), 0.29% coated slow-release iron, 0.042% coated slow-release manganese (Mn), and 0.011% coated slow-release molybdenum (Mo).