



# Apple Crop Nutrition Schedule - Under Fertigation

## 3-5 year old high density plantation



### GROWTH STAGE

Fertiliser application	Bud burst	Pink bud stage	Fruit set stage	Fruit Development stage (15-20 days after fruit set)	Fruit Development stage (30-35 days after fruit set)	Before Harvest (15-20 days before harvest)	After harvest (within 15 days after harvest)
Polysulphate	50 g/tree						50 g/tree
Hi Peak (0-44-44)*	10 g/tree	10 g/tree	10 g/tree				
FertiFlow (12-06-22+12CaO)	20 g/tree	20 g/tree	20 g/tree	20 g/tree	20 g/tree		20 g/tree
Select Boronated CN (14.5-0-0+17Ca+0.2B)*	20 g/tree	20 g/tree	20 g/tree				
NutriVant - Starter (11-36-24)		5 g/litre water					5 g/litre water
Nutrivan - Fruit (12-05-27+8CaO)				5 g/litre water	5 g/litre water		
Nutrivan - PeakVant (00-49-32)			5 g/litre water			5 g/litre water	
Select Zinc 12% (Chelated zinc as Zn-EDTA)			1 g/litre water				2 g/litre water
Boron (foliar grade)		1 g/litre water					1 g/litre water

\* Don't mix Hi Peak (0-44-44) and Select Boronated CN (14.5-0-0+17Ca+0.2B) in same tank as both are not compatible together

The recommendations are for general information purpose only and should not be considered as advice or consultancy. The exact fertilisation program should be determined by the customer according to the crop selection, crop yield, soil and water conditions and the growing conditions, which are prone to changes due to external factors from time to time. The recommendations made are generic in nature. Please consult a local agronomist in advance for implementation and advice, specifically.

- Soil application
- Foliar application
- Fertigation



Polysulphate

FertiFlow™

NutriVant™  
Foliar Nutrition Line

Toll free number  
**1800 210 3031**



# Apple Crop Nutrition Schedule - Under Fertigation

>5 year old high density plantation



## GROWTH STAGE

Fertiliser application	Bud burst	Pink bud stage	Fruit set stage	Fruit Development stage (15-20 days after fruit set)	Fruit Development stage (30-35 days after fruit set)	Before Harvest (15-20 days before harvest)	After harvest (within 15 days after harvest)
Polysulphate	100 g/tree						50 g/tree
Hi Peak (0-44-44)*	20 g/tree	20 g/tree					20 g/tree
FertiFlow (12-06-22+12CaO)	25 g/tree	25 g/tree	35 g/tree	35 g/tree	35 g/tree		20 g/tree
Select Boronated CN (14.5-0-0+17Ca+0.2B)*	40 g/tree	35 g/tree	35 g/tree				
NutriVant - Starter (11-36-24)		5 g/litre water					10 g/litre water
Nutrivant - Fruit (12-05-27+8CaO)				10 g/litre water	10 g/litre water		
Nutrivant - PeakVant (00-49-32)			5 g/litre water			10 g/litre water	
Select Zinc 12% (Chelated zinc as Zn-EDTA)			1 g/litre water				2 g/litre water
Boron (foliar grade)		1 g/litre water					1 g/litre water

\* Don't mix Hi Peak (0-44-44) and Select Boronated CN (14.5-0-0+17Ca+0.2B) in same tank as both are not compatible together

The recommendations are for general information purpose only and should not be considered as advice or consultancy. The exact fertilisation program should be determined by the customer according to the crop selection, crop yield, soil and water conditions and the growing conditions, which are prone to changes due to external factors from time to time. The recommendations made are generic in nature. Please consult a local agronomist in advance for implementation and advice, specifically.

- Soil application
- Foliar application
- Fertigation



Polysulphate

FertiFlow™

NutriVant™  
Foliar Nutrition Line

Toll free number  
**1800 210 3031**