

AGROCOTE®

Max 44-0-0

The pure technology product

44	0	0
N	P	K

Description

Provide crops with all of their nitrogen requirements with Agrocote® Max 44-0-0 | 2-3M. One single application in lighter soil conditions, prior to planting or seeding, is enough to fulfil the substantial nitrogen requirements of potatoes and other medium-late cycle field soil-grown vegetables. ICL's state of the art patented E-Max Release Technology benefits crops through controlled, reliable, and sustained high-quality nitrogen release.

Guaranteed analysis

Elemental

N	Total Nitrogen	**44%**
	Urea nitrogen (N-Urea)	44%
P	Phosphorus	**0%**
K	Potassium	**0%**

Benefits

- One single base fertiliser supplying the entire N requirements
- Increases crop yield or maintains it in case of lower nutrient application rate
- Enhanced nitrogen use efficiency
- Proven performance in potatoes, vegetables and fruits
- Especially in light soils where N is prone to losses via leaching

How to use

1. Apply by row application or broadcasting.
2. Do not apply more than 1-2 weeks prior to planting.
3. Incorporate into the soil at a depth of between 5-10 cm.
4. Place the product under drippers where applicable.
5. Improve product and plant performance by irrigating after planting/seeding.
6. Reduce the dosage if WSFs are used in the second part of the crop cycle.
7. Properly seal partly used or damaged bags.
8. Store under dry conditions.
9. If you need more information, please contact your technical support.

Attention

Please contact your ICL Technical Area Sales Manager for more detailed advice.

https://icl-growingsolutions.com/en-ie/agriculture/products/agrocote-max-44-0-0-3/

Last updated on: 11/09/2026

ICL Growing Solutions marketing.ukire@icl-group.com
©2026 ICL. All rights reserved.